

David Verdonck

foto's;

## Helgoland 10 oktober- 23 oktober 2010

Vanuit Ravels vertrokken omstreeks 5:15 naar Cuxhaven (Duitsland) . Na een trip van 5 h in de wagen vertrok de boot om 11:30. Na een uurtje varen met de catamaran snel inchecken in Aparthotel hansatic. [www.aparthotel-hanseatic.de](http://www.aparthotel-hanseatic.de)

De verwachtingen waren hoog gespannen met gunstige wind uit het Oosten en een fotografisch leuk zonnetje met temperaturen rond 10 °C .

### Zondagnamiddag;


Bij de eerste verkenning richting De Kringel viel meteen het aantal sijzen en graspiepers op. Op de kringel zelf veel tapuiten, tjiftjaffen en rietgorzen. Hier foerageerde ook een juveniele rotgans en drie strandleeuweriken.

Een groepje van 8 witkopstaartmezen trok meteen de aandacht. Ze waren druk aan het fourageren en vlogen tussen bramen en rozenbottels.

's Avonds trok het kleine strandje hier enkele 100den vogels aan. Veelal vinken en kepen aangevuld met graspiepers en enkele rietgorzen die op de aangespoelde plantenresten insecten kwam zoeken.

Een muur die de laatste zonnestralen wist te vangen trok vele insecten aan. Hier enkele 10 tallen goudhaantjes en tjiftjaffen.

De zonsondergang hier was een mooie afsluiter.



## Maandag ;

's Morgens vroeg naar het noordstrand. Ook hier veel aangespoelde plantenresten. Dit was een magneet voor graspiepers, kepen, vinken, spreeuwen. Leuk ook twee barmsijzen die vanuit zee op het strand kwamen binnenvallen. Verder op het strand nog een leuk groepje strandleeuweriken en een ijsgors. Naast de flanken van de rotskliffen hier kleine gras-onkruid akkertjes. Hierop aanwezig: een drietal gekraagde roodstaarten, zanglijsters, één roodborsttapuit en gewone tapuiten .

Enkele kleinere groepjes aalscholvers trokken over samen met enkele boom- en veldleeuweriken.

Een jagende boomvalk maakte het strand onveilig.

Met de middag in zicht, tocht gezet naar middel land. Een blauwstaart bracht hier de nodige spanning onder de spotters. Ondanks de moeilijk locatie “ Een van de weinige donkere bosjes op het eiland” liet de vogel zich goed bekijken. De namiddag was al snel gepasseerd. Een wandeling langs het kleine strandje op de kringel leverde nog een bokje op. Leuk hier was dat je rustig de tijd kon nemen om de vogel te bekijken. De groen glanzende mantel- schouder strepen op de rug kwamen er mooi uit. De eiders lieten zich goed horen net voor de kust.



## Dinsdag ;

's Morgens vroeg naar het noordstrand. De dag begon met het opstoten van een bokje. Twee overvliegende watersnippen en een reiger waren de opvallendste soorten. De boomvalk bleek niet meer aanwezig te zijn.

Drie grote lijsters hadden op het kleine grasveldje naast het voetbalveld (kunstgras) een plekje gevonden. De wandelpaadjes doorheen de rozenbottelstruiken zaten vol met goudhaantjes, merels en lijsters. "Opvallend meer dan de dag ervoor"

Overtrekkend nog enkele kruisbekken en kneu's. Een grote groep van +50 kauwen trok van overzee richting eiland dune.

Na de ochtend, tocht gezet richting middel land.

Aan zeezijde werd een tweede blauwborst ontdekt. Deze zat op een moeilijke steile helling richting de Kringel. Dit samen met vele roodborstjes, rietgorzen, goudhaantjes... een eerste paapje en heggenmus. Overtrekkend nog twee goudvinken en sperwers die gedurende de dag wel enkele malen opdoken.

Op de Kringel zelf hadden naast de vele tapuiten de barmsijzen het overgenomen van de sijzen. De juveniele rotgans was nog steeds op zoek naar het schaarse gras tussen de stenen.

Op middelland was de tweede blauwstaart nog steeds drukdoende foeragerend. Hier ook mijn eerste koolmezen. Opvallend waren de weinige mezen op het hele eiland.

In de late namiddag bracht het bootje vanuit Helgoland de overtocht naar het zandeiland Dune. Het idee was om snel dit kleine eilandje te overzien. Eerst richting noordstrand. Een 'pas' geboren zeehondje trok de aandacht. Hier had me de aangespoelde plantenresten op grote hopen gezet. Een ware magneet voor de vele koperwieken, lijsters, graspiepers, vinken en kepen.

De lange tocht had de schuwheid van deze soorten afgeworpen. Verder nog twee witte kwikstaarten, een eenzame bonte strandloper en de hier broedende, kleine mantelmeeuwen.

Helaas bleek de dag tekort te zijn om het zuidstrand nog te verkennen. Volgens andere waarnemers bleken daar enkel sneeuwgorzen en verschillende steltlopers aanwezig te zijn.

Ondanks je overdag geen ganzen zag passeren, bleken ze in de duisternis talrijk door te trekken.





Woensdag ;

's Morgens vroeg naar het noordstrand. De ijsgors was nog steeds aanwezig, net als een groepje van 8 strandleeuweriken. Deze exemplaren bleken in tegenstellingen met andere soorten schuwer te zijn op Helgoland dan op andere locaties. Echt leuk voor de lens krijgen zat er dan ook niet in. Naast de dagen hiervoor vermelde soorten, was er ook aanvoer van geelgorzen en ringmussen geweest. Een 6-tal geelgorzen foerageerde tussen de jeugdherberg en het strand op onkruid.

Een boomleeuwerik liet zich mooi bekijken op het strand. Overtrekkend hier nog een oever- en boerenwaluw.

Nadat om 10 h de kamer moest verlaten worden, koers gezet naar mittelland. Na even gepost te hebben bij de blauwstaart bleek een bladkoning waargenomen te zijn. Dit op de steile wand tussen oberland village met unterland village. Wederom een onmogelijk plaats om deftig foto's te maken. Het bleef dan ook bij determinatie foto's. De bladkoning zat samen met goudhaantjes op zo'n 25m afstand insecten uit de lucht te plukken. Ondanks het gebrek aan leuke foto's was de waarneming leuk en liet de bladkoning zich mooi bekijken.


De nieuwe dag bleek meer aanvoer te hebben gebracht. Ter hoogte van het voetbalveld was een sperwergrasmus gevonden. Ondanks dat het beestje uit het zicht was verloren, bleef een 15-tal mensen zoeken. Het duurde dan ook niet lang vooraleer deze terug in beeld kwam. Druk doende foeragerend op en tussen de rozenbottelstruiken. Enkele malen kwam hij mooi vrij uit de struiken. Maar als grasmus zijnde, moest je vaak door de rozenbottelstruiken zoeken om de soort te volgen.

Met sperwergrasmus, bladkoning, blauwstaart, ijsgors en witkopstaartmees was deze vierdaagse een groot succes.

De waarnemingen van dit eiland kan je volgen op; <http://oag-helgoland.de/>



[www.davidverdonck.be](http://www.davidverdonck.be)



## **Main Island:**

### 1. Northwest pier (Nordwestmole)

Mainly interesting for gulls, cormorants, purple sandpipers and turnstones. Usually some shags are present, mainly in the last part of the pier, best discovered from the Oberland.

### 2. Northern tip/Lange Anna (Nordspitze/Lange Anna)

The northwestern pier is best visible from here, in summer all cliff-breeding birds can usually be seen. A 100 m south of the most northern tip at the north side of the "Lummenfelsen" is the best place to see razorbills.

### 3. Northern cliff (Nordklippe)

Breeding site for fulmars, kittiwakes, guillemots and razorbill, but difficult to see (best from the northern beach).

### 4. Northern beach (Nordoststrand)

The beach between youth hostel and northern cliff is an excellent birding site. When rotten kelp is at the beach, many birds (e.g. waders, pipits, wheatears) concentrate here to feed on kelp flies and their larvae. The dunes along the beach should not be entered!

### 5. Northeastern pier (Nordostmole)

On the pier you can see regularly some gulls, turnstones and purple sandpipers.

### 6. Bird cliff (Lummenfelsen)

From March to September the bird cliff is always worth a visit, but avoid to go there between 13-16:00 h because of too many tourists. All cliff-breeding species (gannet, fulmar, herring gull, kittiwake, guillemot, razorbill) can be

watched and photographed excellent.

#### 7. Upper land (Oberland)

The upper land outside the village is an excellent place for larks, pipits, wheatears and golden plovers. Early morning is usually best, but the "canyon" close to the old radar station in the north is often good for passerines as well.

#### 8. Youth hostel (Haus der Jugend)

The north side of the youth hostel has wind shelter and is therefore one of the best places for seawatching. However, please stay away from the windows during meal times (see [behaviour rules](#)). Around the boys north of the beach you can often find black guillemots. The bushes at the north side are often used by arriving passerines in autumn, the bushes at the south side regularly hold large numbers of passerines, but patience is necessary due to the thick cover.

#### 9./10. Northeast-area/eastern cliff (Nordostgelände/Ostklippe)

The whole area is excellent for all kinds of passerines, even the soccer field. The northwestern edge of the soccer is one of the best places for ring ouzels. The eastern cliff is especially good during westerly winds, when there is wind shelter.

#### 11. Kurgelände

The lawn often holds pipits, thrushes and robins, in the bushes most species of Phylloscopus warblers have been recorded.

#### 12. Northeast harbour (Nordosthafen)

You can sometimes find black guillemots here, the pier often holds many gulls, often including caspian and yellow-legged gulls.

#### 13. Western cliff (Westklippe)

The area below the cliff is closed due to danger of avalanches - please respect this.

#### 14. Bird observatory (Vogelwarte/Fanggarten)

In the catching area large numbers of passerines come to roost, which are trapped for ringing. You can visit the bird observatory only during [guidings](#).

#### 15. Lighthouse (Leuchtturm)

The bushes around the lighthouse are very good for passerines, especially in early morning. During nocturnal migration falls you should stay and listen close to the lighthouse - which can be unforgettable experience.

#### 16. Oberland village (Oberland-Ort)

The trees in the village often hold some passerines. Please note that birders are not allowed on the cemetery! Please also respect the privacy of the inhabitants.

#### 17. Great steps (Große Treppe)

The bushes at the steps are excellent for passerines. They can be seen from the steps or from road starting at the top of the steps. It is not allowed to enter the area behind the "Biologische Anstalt".

#### 18. Unterland village (Unterland-Ort)

The trees in front of the post office often hold warblers and goldcrests. But also other streets can be rewarding, but please respect the privacy of the inhabitants.

#### 19. Middle land (Mittelland)

One of the best birding areas of Helgoland. The bushes can hold spectacular numbers of passerines. However, due to cover some patience is necessary. As you can watch passerines from the top of the Mittelland, you often have excellent views of the birds. Also you have wind shelter during most wind conditions, making the place very attractive for birds. The top of the Mittelland is also an excellent place to watch diurnal passerine migration.

#### 20. Kringel

Another excellent birding site. During easterly winds many of the birds roosting in the Mittelland come into the wind shelter, especially during the evening. The grassy areas hold a lot of pipits and sometimes hundreds of wheatears concentrate here. The small beach often hold some birds, during westerly gales many gulls concentrate

here.

#### 21. Main pier (Anleger)

From the pier you can watch migrating wildfowl, but in the morning the light conditions are not good. Between the gulls you can sometimes find some yellow-legged gulls.

#### 22. South beach (Südstrand)

This small beach and the adjacent bushes often hold some passerines.

#### 23. Binnenhafen (also called Scheibenhafen)

Similar to other harbours this one can also hold divers and auks.

#### 24. South harbour area (Südhafengelände)

The grassy areas often hold many pipits and whinchats, also the heliport is used by many birds. At the western site of the heliport is some saltmarsh vegetation, the best place for shorelarks. The bushes around the harbour office often hold some passerines and a lot of rarities have been discovered here.

#### 25. South harbour (Südhafen)

Similar to other harbours this one can also hold divers and auks.

#### 26. Southwestern pier (Südwestmole)

Many birds use the pier to leave the island, especially in autumn. However, the noise of the waves makes migration watches not rewarding. It is nevertheless a good place for seawatching, but not advisable during heavy storms.

#### 27. Southeastern pier (Südostmole)

Also a reasonable good site for seawatching, but hardly wind sheltered.

#### 29. Vorhafen

The best and largest harbour, where often divers, grebes, mergansers and auks come to roost.

#### 30. Kurpark

This "parc" was built in the early 1990s. Unfortunately the pool is completely dry since several years, but the bushes are excellent for passerines.

#### 31. Reede

Good for eiders, grebes and auks. Some birds migrate between the main island and Düne Island and can be watched well.

### **Düne Island:**

*Some basics to Düne Island:* It is only allowed to walk on the tracks and along the beaches. It is not allowed to enter the dunes because of coastal protection. The beaches hold many seals, which should not be disturbed, especially in winter, when grey seals have their pups.

#### 1./2. Harbour (Düne-Anleger/Düne-Hafen)

The pier often holds a lot of gulls, in the harbour you can sometimes see divers, grebes, ducks and auks.

#### 3. Northwest pier (Düne-Nordwestmole)

On the pier you can see cormorants and gulls, sometimes also shags and waders (especially turnstones and purple sandpipers).

#### 4. Northern beach (Düne-Nordstrand)

Similar to the northern beach of the main island, so it is good especially for waders, pipits and wheatears.

#### 5. Northeastern pier (Düne-Nordostmole)

Best place for purple sandpipers, also some cormorants and gulls (and sometimes shags). The base of the pier is an excellent seawatching site.

#### 6. Airport (Flugplatz)

The short grass attracts a lot of birds. Usually many gulls come to roost, but also golden plovers, larks, pipits and wheatears.

#### 7. Aade

The Aade holds the largest colony of lesser black-backed gulls. Please do not disturb. The eastern beach is in autumn excellent for arriving passerines.

#### 8. Aade-pool (Aadeteich)

A former good birding site, but now dry, but also fenced - please do not enter.

#### 9. Golf-pool (Golfteich)

The bushes and reeds are excellent for all kind of passerines on migration, but also hold breeding reed warblers and moorhens.

#### 10. Grillteich

As Golfteich.

#### 11. Center of the dune (Düne-Mitte)

The center of the dune is excellent for birds, but as you have to stay on the tracks, it is difficult to see them. The small hill is excellent for migration watches and the small cemetery is good for passerines.

#### 12. Southeastern pier (Düne-Südostmole)

The beach at the western side is hardly disturbed and therefore often holds some waders, pipits, wagtails and wheatears.

#### 13. Southern beach (Düne-Südstrand)

Good area for waders, terns and seals, especially at the base of the southwestern pier.

#### 14. Southwestern pier (Düne-Südwestmole)

On the pier many gulls, cormorants and terns come to roost as well as turnstones and purple sandpipers.